

Cartia Xt



Cartia Xt is used to treat high blood pressure (hypertension), angina (chest pain), and heart rhythm disorders (atrial fibrillation).

Prices may vary slightly when paying.

Cartia Xt 180 mg x 30 pill	SGD130.39 Buy now
Cartia Xt 180 mg x 60 pill	SGD240.98 Buy now
Cartia Xt 180 mg x 90 pill	SGD342.61 Buy now
Cartia Xt 180 mg x 120 pill	SGD424.66 Buy now
Cartia Xt 180 mg x 180 pill	SGD603.46 Buy now

Description

General information

Cartia Xt is known as a calcium funnel blocker. It functions by relaxing bloodstream ships in your body and heart so bloodstream can flow easier. Additionally, it reduces your heartbeat. Cartia Xt can be used to deal with high bloodstream pressure (hypertension) and stop chest discomfort (angina). Lowering high bloodstream pressure aids in preventing strokes, cardiac arrest, and kidney problems. It could also be accustomed to take control of your heartbeat for those who have a quick or irregular heartbeat (for example atrial fibrillation).

Directions

Take Cartia Xt just as recommended from your physician. Take medicines orally without or with food, usually once daily. Swallow the capsules whole. Take Cartia Xt having a full glass water. The suggested beginning dose for dealing with high bloodstream pressure (hypertension) is 180 mg to 240 mg once daily. The suggested beginning dose for dealing with chest discomfort (angina) is 120 mg to 180 mg once daily.

Safeguards

Before you take Cartia Xt you need to engage with your physician for those who have kidney disease, liver disease, liver failure, cirrhosis, congestive heart failure, low bloodstream pressure, any allergic reactions. This drug could make you dizzy. Don't drive or perform tasks that need performance. Avoid consuming alcohol. Do not eat grapefruit or consuming grapefruit juice while using the medicines.

Advisable limitations

You shouldn't take Cartia Xt if you're allergic to diltiazem, are pregnant or breastfeeding, or you have heart rhythm problems (sick sinus syndrome, atrioventricular block), low bloodstream pressure.

Possible side-effect

Get emergency medical help for those who have lightheadedness, wooziness, weakness, nausea, eliminating, headache, irregular heartbeat, difficulty breathing, mental or mood changes, agitation, sudden putting on weight, stomach or abdominal discomfort, dark urine, vomiting, yellowing from the eyes or skin (jaundice), swelling from the face, tongue, throat, rash, itchiness, stuffy nose, low fever, appetite loss. If you see other effects unlisted above, speak to your physician.

Drug interactions

Inform your physician about other medicines you utilize, especially: Aids/Helps medications (ritonavir, indinavir, atazanavir, delavirdine), beta-blockers (propranolol, bisoprolol, metoprolol, atenolol), antifungal medicines (voriconazole, fluconazole, itraconazole, ketoconazole), anti-biotics (telithromycin, erythromycin, clarithromycin), sedative drugs (midazolam, triazolam), carbamazepine, quinidine, cyclosporine, rifampin, lovastatin, buspirone, digoxin, amiodarone, cimetidine. Interaction between two medicines doesn't imply that you need to quit taking one of these. Inform your physician or prescriber about all prescription, over-the-counter, and herbal medicines you're taking.

Skipped dose

Go ahead and take skipped dose as quickly as possible. Skip the skipped dose if it's time for your forthcoming scheduled dose. Do not take extra medicine to from the skipped dose.

Overdose

If you feel you've overdosed the medication seek emergency medical help at the same time. The overdose signs and symptoms are slow heartbeat, chest pain, breathlessness, weakness, fainting.

Storage

Keep medicine at 70 degrees between 59-77 levels F (15-25 levels C) from light and moisture. Don't keep drugs within the bathroom. Keep all drugs from achieve of kids and pets.

Note

The data presented to begin includes a general character. Note please these details can't be employed for self-treatment and self diagnosis. You need to talk to your physician or healthcare agent regarding any sort of instructions of the condition. The details are reliable, but we concede it might contain mistakes. We're not accountable for any direct, indirect, special or any other damage triggered by utilization of these details on the website and for effects of self-treatment.

Tags

[Cartia Xt tablets online Singapore](#), [buy Cartia Xt online with no prescription](#), [buy Cartia Xt online without prescription](#), [buy Cartia Xt in Bedok](#), [generic Cartia Xt online](#), [Cartia Xt fast delivery](#), [buy Cartia Xt in Bukit Merah](#), [buy Cartia Xt in Hougang](#), [buy Cartia Xt in Kuala Lumpur](#), [buy Cartia Xt in cbd](#), [buy Cartia Xt overnight](#), [buy Cartia Xt in keppel](#), [Cartia Xt altrnatives](#), [Cartia Xt online paypal](#), [buy Cartia Xt in Jurong](#), [cheapest Cartia Xt online Singapore](#), [buy Cartia Xt 180 mg in Singapore](#), [Cartia Xt online singapore](#), [buy Cartia Xt 180 mg x 30 pill in Singapore](#), [Cartia Xt for sale](#), [buy Cartia Xt in marina area](#), [Cartia Xt online pharmacy](#), [order Cartia Xt online in Singapore](#), [cheap Cartia Xt online Singapore](#), [buy Cartia Xt 180 mg x 180 pill in Singapore](#), [buy Cartia Xt online mastercard](#), [buy Cartia Xt in Woodlands](#), [buy Cartia Xt online in Singapore](#), [Cartia Xt pills](#),